



Vita Science Peptides Inc.

8888 Odlin Cres, Unit 210, Richmond, BC, V6X 3Z8 · orders@canada-peptides.net · 604-555-0188
<https://canada-peptides.net>

Certificate of Analysis

CERTIFICAT D'ANALYSE

Document 1C33B07675 · Lot FS-2609-03 · Issued / Émis September 4, 2026

Recombinant Follistatin Protein, 1 mg Lyophilized Vial

Lyophilized protein in a sealed glass vial · 1 mg per vial



Verify this lot / Vérifier ce lot
canada-peptides.net/lots/#fs-2609-03

Catalogue no. / N° de catalogue	PRO-FST-1	Lot / Lot	FS-2609-03
Date of analysis / Date d'analyse	September 4, 2026	Retest date / Date de réanalyse	September 4, 2028
Quantity / Quantité	1 mg per vial	Form / Forme	Lyophilized protein in a sealed glass vial
Storage / Conservation	Lyophilized protein: store sealed at -20 °C or below, protected from light. Avoid repeated freeze-thaw once reconstituted.		

RESULTS / RÉSULTATS

TEST / ESSAI	METHOD / MÉTHODE	SPECIFICATION / SPÉCIFICATION	RESULT / RÉSULTAT
Appearance / Apparence	Visual, USP <631>	White to off-white lyophilized powder	White lyophilized powder
Purity / Pureté	SDS-PAGE, Coomassie densitometry	≥95%	99.7%
Net protein content / Teneur nette	Gravimetric, corrected for water and counter-ion	1 mg per vial	1.01 mg (99.1% of label)
Water content / Teneur en eau	Karl Fischer titration	≤ 8.0%	4.4%
Counter-ion / Contre-ion	Ion chromatography	Acetate, TFA below 1%	5.0% acetate
Bacterial endotoxin / Endotoxine	LAL, kinetic turbidimetric	< 1.0 EU/mg	< 0.41 EU/mg

METHODS / MÉTHODES

SDS-PAGE. Reducing SDS-polyacrylamide gel electrophoresis with Coomassie staining; purity is the main band as a percentage of total lane density by scanning densitometry, against a molecular-weight ladder.

Karl Fischer. Coulometric titration of a weighed aliquot for water content, reported as a percentage of the lyophilized mass.

Ion chromatography. Counter-ion content (acetate, residual trifluoroacetate) by anion-exchange chromatography with conductivity detection.

LAL. Kinetic turbidimetric Limulus amoebocyte lysate assay for bacterial endotoxin, reported per milligram of protein.

Analyst / Analyste

QC laboratory · signed electronically
September 4, 2026

Reviewed / Vérifié

QC reviewer · signed electronically
September 4, 2026

Released / Libéré

Quality assurance · released for sale
Document 1C33B07675

For laboratory research use only. Not for human or veterinary use. · Réservé à la recherche en laboratoire. Non destiné à l'usage humain ou vétérinaire.

This certificate reports the lot record held by Vita Science Peptides for lot FS-2609-03; results apply to that lot only. Document 1C33B07675 can be checked against the lot register at <https://canada-peptides.net/lots/#fs-2609-03>. Store as stated above; retest date September 4, 2028. Generated 2026-09-24 · <https://canada-peptides.net>